ELSEVIER

Journal of Immunological Methods 171 (1994) 271–272

JOURNAL OF IMMUNOLOGICAL METHODS

Contents to volume 171 (1994)

Number 1 – 2 May 1994

Research reports

Characterization of chemical gradients in the collagen gel-visual chemotactic assay
J.L. Haddox, I.W. Knowles, C.I. Sommers and R.R. Pfister (USA) 1

Repeated cleaning of protein A affinity column with sodium hydroxide
G. Hale, A. Drumm, P. Harrison and J. Phillips (UK) 15

Quantitative measurement of carbohydrate binding activity of mouse macrophage lectin
Y. Imai and T. Irimura (Japan) 23

A technique for complete thymectomy in adult rats
E. Kobayashi, N. Kamada, S. Enosawa, N. Toyama, L. Delriviere, S. Goto, R. Lord, S. Stamatiou and M. Miyata (Japan, Australia) 33

A versatile synthetic peptide-based ELISA for identifying antibody epitopes
J.M. Ball, N.L. Henry, R.C. Montelaro and M.J. Newman (USA) 37

Sensitive antiproliferative neutralization assay for the detection of neutralizing IFN-α and IFN-β antibodies
O. Prümmer, U. Streichan, H. Heimpel and F. Porzsolt (Germany) 45

Quantitation of endothelial cell specific protein E-9 employing a single monoclonal antibody in an indirect sandwich ELISA
J.M. Wang, P.B. Wilson, S. Kumar and D. Pye (UK) 55

Boc-Cys(Npys)-OH (BCNP): an appropriate reagent for the identification of T cell epitopes in cystine and/or cysteine-containing proteins
G. Mourier, B. Maillère, J. Cotton, M. Hervé, S. Leroy, M. Léonetti and A. Ménez (France) 65

Efficient in vivo induction of CTL by cell-associated covalent H-2K^d-peptide complexes
P. Romero, J.-C. Cerottini and I.F. Luescher (Switzerland) 73

Development of a C1q-ABO-ELISA to measure C1q binding by human anti-A alloantibodies
E. Von Allmen, R. Rieben and U.E. Nydegger (Switzerland) 85

A cell surface ELISA for the screening of monoclonal antibodies to antigens on viable cells in suspension
R. Grunow, M. D'Apuzzo, T. Wyss-Coray, K. Frutig and W.J. Pichler (Switzerland) 93

Production of monoclonal antibodies against epitopes of the main coat protein of filamentous fd phages
B. Micheel, S. Heymann, G. Scharte, V. Böttger, F. Vogel, S. Dübel, F. Breitling, M. Little and O. Behrsing (Germany, UK) 103

Naturally occurring antibodies reacting with lipoic acid: screening method, characterization and biochemical interest
S. Legastelois, V. Thomas, G. Quash, M.-P. Métais, J. Tebib, A. Moreira and J.-C. Monier (France) 111

Isolation and quantification of class 1 MHC gene mutants in mouse T cells by immunoselection with a magnetic cell sorter (MACS)
V. Wixler, B. Klarmann, U. Begemann, G. Gahn, R. Lorenz and K. Hempel (Germany) 121

Determination of lymphocyte division by flow cytometry
A.B. Lyons and C.R. Parish (Australia) 131

Letter to the editors

Residue-specific immunochemical sequence prediction
J.F. Rehfeld and A.H. Johnsen (Denmark) 139

Book review 143

Notes to authors 145

Number 2 – 16 May 1994

Research reports

Generation of allo-reactive cytotoxic T lymphocytes by particle bombardment-mediated gene transfer
K.M. Hui, T.K. Sabapathy, A.A. Oei and T.F. Chia (Singapore) 147

Determination of haptoglobin expression in IL-6 treated HepG2 cells by ELISA and by RNA hybridization – Evaluation of a quantitative method to measure IL-6
A. Boe, U. Canosi, S. Donini, R. Mastrangeli, A. Ythier and O. Serlupi Crescenzi (Italy, Switzerland) 157

Radioimmunoassay versus flow cytometric assay to quantify LPS-binding protein (LBP) concentrations in human plasma
D. Heumann, P. Gallay, D. Le Roy, R. Landmann and M.P. Glauser (Switzerland) 169

In vitro construction of graded thymus chimeras
M. Merkenschlager and A.G. Fisher (France) 177

A novel bioactivity assay for monoclonal antibodies directed against IgE
D.T.W. Fei, J. Lowe and P. Jardieu (USA) 189

New applications of carbonylmetalloimmunoassay (CMIA): a non-radioisotopic approach to cortisol assay
V. Philomin, A. Vessières and G. Jaouen (France) 201

Recombinant single-chain antibody peptide conjugates expressed in *Escherichia coli* for the rapid diagnosis of HIV
G.G. Lilley, O. Dolezal, C.J. Hillyard, C. Bernard and P.J. Hudson (Australia) 211

Chemical synthesis of bispecific monoclonal antibodies: potential advantages in immunoassay systems
A.G. Cook and P.J. Wood (UK) 227

Preparation of $F(ab')_{2\mu}$ fragments from rat IgM monoclonal antibodies and their application to the enzyme immunoassay of mouse interleukin-6
K. Inouye and K. Morimoto (Japan) 239

The development of an assay for human neutrophil lipocalin (HNL) – to be used as a specific marker of neutrophil activity in vivo and vitro
S.Y. Xu, C.G.B. Petersson, M. Carlson and P. Venge (Sweden) 245

Enhanced cloning efficiencies of murine hybridomas using human plasma supplemented medium
N. Quinlan and R. O'Kennedy (Ireland) 253

Technical note

A highly sensitive non-radioactive cytotoxicity assay for human target cells
L. Franke and T. Porstmann (Germany) 259

Short communication

A bioassay for the detection of tumor necrosis factor from eight different species: evaluation of neutralization rates of a monoclonal antibody against human TNF-α
U. Pauli, G. Bertoni, M. Duerr and E. Peterhans (Switzerland, USA) 263

Letters to the editors

Measurement of adhesion molecule expression on neutrophils and fixation
A. Finn and N. Rebuck (UK) 267

Reply to the letter of A. Finn and N. Rebuck
A.S. Hamblin (UK) 269

Contents to volume 171 (1994) 271

Notes to authors 273